

YOUR KEY to innovation and success

vis-nIR Phase Retarder

KAUAI

Our vis-nIR Phase Retarder KAUAI is the perfect quarter waveplate to convert linearly polarized light into circularly polarized light with minimal dispersion.

Covering a broad spectral range from 650 to 1400 nm, it supports more than an optical octave of bandwidth, making it ideal for polarization control of ultrabroadband pulses, including white light supercontinuum. With a dispersion of less than 3 fs²,

KAUAI ensures optimal performance in high-end laser systems using ultrashort pulses, especially Ytterbium-based platforms. Its all-reflective geometry enables compatibility with few-cycle pulses and self compressing broadening schemes, outperforming traditional achromatic waveplates. KAUAI's compact footprint (8 × 15 cm²), high throughput, and beam-preserving design allow seamless integration into existing setups. Its rotation is remote controllable and it can be used with beam diameters up to 6 mm. KAUAI is the go-to solution for demanding ultrafast applications that require precise polarization control and exceptional dispersion management.



Key Product Features:

- Ultrabroadband reflective retardation to create circularly polarized light in the visible and near infrared
- Up to ≈ 90% max reflectivity
- No added GDD (<3 fs²)
- More wavelengths available upon request
- Compact design,
 with beam direction
 preservation
- Entrance and exit iris diaphragms for alignment
- Easy to implement in existing setups

Characteristics:

| Spectral Range | 650-1400 nm |
|---------------------|----------------------|
| Reflectivity | >85% |
| Max Ellipticity Pc¹ | 1.0 |
| Extra Beam Path | 60 mm |
| Clear Aperture | 6 mm |
| Footprint | 80mm (W) x 150mm (L) |

¹Degree of Ellipticity expressed as Stokes Parameters Pc=S3/S0

UltraFast Innovations GmbH Dieselstr. 5 85748 Garching Germany phone: +49 89 36039 - 437 fax: +49 89 36039 - 453 info@ultrafast-innovations.com www.ultrafast-innovations.com





Theoretical curves:





